

C. 1956

Alberta Truckers' Manual



**SALES - PARTS
SERVICE**

CANADA'S LARGEST SERVICE GARAGE

JENNER'S

10040 - 104th Street

Phone 29391

EDMONTON

At Your Service Whenever You Need It

. . . At Home . . . In Industry

NATURAL GAS



**the World's Finest
All Purpose Fuel.**

**CANADIAN WESTERN
NATURAL GAS CO. LTD.**

NORTHWESTERN UTILITIES LTD.

Better Your Working Conditions and Earning Power by Joining The Teamsters' Union

**INTERNATIONAL BROTHERHOOD
OF TEAMSTERS, CHAUFFEURS,
WAREHOUSEMEN AND HELPERS OF
AMERICA LOCAL NO. 514**



EXECUTIVE

ROBERT DEYL, Pres.
A. ARCHER, Vice-Pres.
D. ERICKSON, Sec.-Treas.
C. BLANCHARD, Rec. Sec.
P. SMOLEY, Trustee
A. CHARTIER, Trustee
A. A. JORGENSEN, Trustee
H. D. KENNEDY, Bus. Agent
A. CHARTIER, Organizer

**Office: 207 Wallace Building, 9921 - 101A Avenue
Phone 27388**

**HOW TO PROTECT YOUR CHAUFFEUR'S
LICENSE AND KEEP ON THE JOB**

1. By knowing the traffic laws and the P.S.V. Act and obeying them.
2. Know all road signs and obey them.
3. Truck Drivers are more and more recognized as saviours of the highways. Practice courtesy at all times. It pays.
4. Always make a thorough inspection of all vital necessities to insure a safe and uninterrupted trip before leaving for your destination. Practice a regular periodic inspection of lights, axles, brake drums and tires while making long trips.
5. Always have full control of your equipment. In so doing, you will be able to avoid many accidents.

ALEXANDER HOTEL

CAM BURKE, Mgr.

224 - 9th Ave. East

Calgary, Alberta

IMPORTANT PHONE NUMBERS

Edmonton

Edmonton City Police 46411	University Hospital390021
R.C.M.P. 24538	St. Joseph's Hospital 35831
South Side Police 32433	City Ambulance 46411
General Hospital 24131	Smith's Ambulance 22322
Misericordia Hospital 46421	Coroner Dr. Cantor .. 45877
Royal Alex Hospital.. 21171	Edmonton Fire Dept. 100

Always Glad to See You at

EMPIRE HOTEL

(FULLY LICENSED)

Phone 25075

10246 - 96th Street

Edmonton, Alberta

VAN'S MEAT SUPPLY

**ALL STYLES OF FANCY SAUSAGE
REALLY GOOD**

WHOLESALE

RETAIL

Phone 46096

9328 Jasper Ave.

Edmonton, Alta.

Warning to Truck and Motor Car Drivers

CARRY YOUR LICENSE

The Vehicles and Highway Traffic Act requires that every person operating a motor vehicle shall secure an operator's or chauffeur's license and shall at all times while driving carry same. A penalty is provided for failure to produce such license when demanded by an officer.

This law has been passed in the interests of safe driving, and the production of a license is the only proof of ownership of one.

**CARRY YOUR LICENSE AT ALL TIMES AND AVOID
INCONVENIENCE AND PROSECUTION**



The fee for a chauffeur's license is three dollars (\$3.00) per annum.

Crescent Motor Co. Ltd.

24 HOUR SERVICE AND TOWING

TEXACO PRODUCTS

PHONES 86555 - 85533

14002 STONY PLAIN RD.

EDMONTON

ALBERTA

REGULATIONS

under

THE PUBLIC SERVICE VEHICLES ACT

GENERAL

Interpretations:

1.1. In these Regulations, unless the context otherwise requires,—

1.1.1. “Act” means The Public Service Vehicles Act.

1.1.2. “Board” means the Highway Traffic Board constituted under The Public Service Vehicles Act.

1.1.3. “Balloon Tires” and “High Pressure Tires” means tires inflated with compressed air shall have respectively the meaning customarily assigned to such kinds of tires by the manufacturers of tires.

1.1.4. “Bridge” means a structure sixteen feet or over in length, carrying roadways, waterways or railways across streams, valleys or other roads or railways, leaving a passageway below.

1.1.5. “Bus” means any Public Service Vehicle constructed and used for the purpose of transporting passengers and passenger express over a regular route between fixed termini and at regular intervals.

1.1.6. “Driver” means any person driving any Public Service Vehicle or Commercial Vehicle on any highway, or who has the care or control of such vehicles on any highway.

1.1.7. “Dual Wheel” means a wheel which is equipped with two tires of the same type, size, and width, inflated, in the case of pneumatic tires, to substantially the same pressure, which transmit substantially an equal share of the total weight on the wheel to the highway.

1.1.8. “Explosive” means gun-powder, blasting powder, nitroglycerine, gun-cotton, dynamite, blasting gelatin, gelignite, fulminate of mercury or other metals, coloured fires and every other substance whether chemical compound or mechanical mixture, used or manufactured with a view to producing a violent effect by explosion, or pyrotechnic

MANDARIN GARDENS

MAH H. DAN, Mgr.

SPECIAL CHINESE AND CANADIAN DISHES

Famous Oriental and Canadian
Cuisine

INVITES YOU TO AN

★ Evening Supper Special

★ Appetizing Noon Lunch

Exquisitely Decorated
The Bright Spot of Edmonton

Phone 22815

9928 Jasper Ave., Edmonton, Alta.

Across from the New Macdonald Hotel

effect, and includes fire-works, fuses, rockets, percussion caps, fog and other signals, and every other adaption or preparation of an explosive as above defined.

1.1.9. "Freight" means any property, goods, live stock or merchandise offered for transportation, the acceptance of which is provided for in these Regulations.

1.1.10. "Livery or Taxi-cab" shall mean a Public Service Vehicle used for the transportation of passengers in respect of which there is a holding out to the public on the part of the owner to carry any passenger or party of passengers when so requested, to a stated destination, whether by contract or otherwise, but which is operated only as required, and not at regular intervals or in accordance with a set time schedule or over a specified route.

1.1.11. "Main Highways" and "Secondary Highways" mean and include those highways defined as such in The Public Highways Act.

1.1.12. "Maximum Gross Weight or Maximum Weight" as used in these Regulations means the combined weight of the vehicle and heaviest load which may be carried in accordance with the tire equipment on the vehicle and as provided for in these Regulations.

1.1.13. "Officer" means any police officer, police constable, constable or other person employed for the preservation and maintenance of the public peace, or any officer appointed for enforcing or carrying out the provisions of The Vehicles and Highway Traffic Act, The Public Service Vehicles Act, or any part thereof.

1.1.14. "Pneumatic Tire" means any tire inflated with compressed air.

1.1.15. "Pole Trailer" means a two-wheeled trailer without platform used for hauling materials, such as lumber, piping, timber-poles, etc., and is attached to the tractor unit by means of a pole, of approved design complete with safety devices.

1.1.16 "Route" means the highway over which any Public Service Vehicle operates in travelling between two stated termini and serving any intermediate points.

1.1.17. "Single Wheel" means a wheel which is equipped with one tire.

**TRUCKERS STOP AT
PHONE 972-6051**

**LLOYD'S SERVICE STATION
GAS AND OIL**

**Goodyear Tires - Globelite Batteries
Expert Repairs on All Makes of Trucks
Highway 16 East Edmonton**

EUROPA CAFE

Phone 72511

**We serve the best of European and
Canadian Food**

9510 - 118th Ave. Edmonton, Alta.

TRUCK INN COFFEE SHOP

Mrs. T. T. McCormick

**A Good Place for Truckers to Eat
when you are away from home.**

Phone 28029

10525 - 103rd Ave. Edmonton

ATTENTION. TRUCKERS!

1.1.18. "Solid Tire" means any tire made of elastic rubber which is not inflated with compressed air.

1.1.19. "Tire Size" or "Size of Tire" means the size of the tire as customarily measured and rated by the manufacturers of motor vehicles or tires.

1.1.20. "Tractor-Trailer" means a combination of vehicles comprised of one semi-trailer, used for carrying merchandise and one truck tractor used solely for supplying of power for propelling, or hauling semi-trailer.

1.1.21. "Vehicle" shall include motor vehicle, trailer, semi-trailer, tractor engine, and any vehicle drawn, propelled or driven by any kind of power, including muscular power but not including the cars of electric or steam railways running upon rails.

The expressions defined in the interpretation section of The Public Service Vehicles Act, Chapter 276 of the Revised Statutes of Alberta, 1942, shall when used in these Regulations have the same respective meanings as in the said Act.

Classification of Licenses.

1.2.1. All vehicles registered with the Highway Traffic Board under the provisions of The Vehicles and Highway Traffic Act, shall be classified either as Public Service or Commercial Vehicles in accordance with the provisions of The Public Service Vehicles Act and shall be issued certificates and plates in accordance with the following subdivisions and for the purposes set out therein.

Plate.

"Bus"—Public Service Vehicles used for the transportation of passengers and operated either over a regular route or between stated termini and at stated intervals.

"C"—Public Service and commercial vehicles operated

ATTENTION!
TRUCK FLEET OPERATORS
USE RISLONE

and

REDUCE MAINTENANCE COSTS

Experienced Operators know how to keep their trucks out of the shop and on the road . . . They stretch the profit-earning period between service lay-ups by using **RISLONE** with their **OIL . . . ALWAYS.**

DISTRIBUTED BY:

Taylor & Pearson Ltd., Edmonton

Taylor-Pearson & Carson Ltd.
Calgary

H. R. Carson Ltd., Lethbridge

"E"—Public Service Vehicles used for the purpose of transporting grain, fodder, vegetables, sugar beets, coal, granite, railway ties, lumber, mine props, clay, brick, sand, limestone and gravel.

"F"—Commercial Vehicles owned and operated by farmers, ranchers and market gardeners and used solely in connection with their own farm, ranch or market garden operations, but not in connection with any other line of business in which the owner may be engaged.

"G"—Commercial Vehicles owned and operated by the Federal Government, Provincial Government and municipal and school districts, with the exception of those classified as "S.V."

"L"—Public Service Vehicles licensed and operated as liveryes and taxicabs.

"P.S.V."—Public Service Vehicles not included in any of these classifications.

"S.V."—Public Service and Commercial Vehicles used solely as school buses or any Public Service and Commercial Vehicles governed by section 6.1.1., subsection (d) of these regulations.

"X" Commercial Vehicles used,

- (a) for personal transportation only,
- (b) by tradesmen for the conveyance of own tools not exceeding 500 pounds,
- (c) as ambulances or hearses,
- (d) as tow trucks.

In the case of any dispute in regard to classification under which a vehicle is registered, the ruling of the Board shall be final.

Registration.

1.3.1. All Public Service and Commercial Vehicles shall be registered with the Highway Traffic Board in accordance with the terms of The Vehicles and Highway Traffic Act, and the owner shall pay the registration fee as prescribed by the Lieutenant Governor in Council.

Applications.

1.4.1. Applications for certificates shall be made on the forms prescribed for that purpose by the Board, and if the Board so demands, each application shall be accompanied by

BENNETT AND WHITE

ALBERTA LIMITED

**General
Contractors**

Phone 73516

11239 - 83rd Street

Edmonton

a map or diagram clearly indicating the route or area for which the certificate is required.

1.4.2. When any operator making application for a Public Service Vehicle or Commercial Vehicle license is found to have made a false statement when submitting his application, he shall be required, upon discovery, to pay any additional fees which should have been originally paid at the time of application, and upon failure to do so, the Board shall have the power to suspend or cancel his license.

Certificates.

1.5.1. The certificates issued by the Board shall be on the forms prescribed for that purpose and shall comply with the provisions of The Vehicles and Highway Traffic Act and The Public Service Vehicles Act. Certificates shall be framed and adequately protected from injury and defacement and shall be displayed in a conspicuous place in the cab of the vehicle.

1.5.2. Such motor vehicles only shall be operated in respect of which individual certificates have been issued.

1.5.3. Supplementary certificates may be issued for additional vehicles as required and such certificates shall be valid from date of issue until expiration date of the original certificate.

1.5.4. Unless it is therein specifically provided to the contrary, all certificates shall expire on the 31st day of March following the date of issue.

1.5.5. Public Service Vehicle certificates may, at the discretion of the Board, confine the operator to the carrying of certain specified commodities only.

Breakdown of Vehicle.

1.6.1. In the case of accident to or breakdown of a Public Service Vehicle, the operator shall make immediate arrangements so that the passengers or freight may be transported to destination without additional charge, and with as little delay as possible.

Substitution of Vehicles.

1.7.1. When any Public Service or Commercial Vehicle becomes temporarily disabled, arrangements may be made for substituting such equipment as may be necessary in order that a proper schedule may be maintained. If this tem-

TD

BRUIN INN

JUST OUTSIDE EDMONTON

MODERN ROOMS

COFFEE SHOP

FULLY LICENSED

STAN HAUPTMAN, Mgr.

PHONE 30

ST. ALBERT, ALBERTA

McCREADY-JOHANNSON LTD.

**SHEET METAL, VENTILATION
ROOFING OF ALL DESCRIPTIONS**

Phone 893127

10235 - 112 Street

Edmonton

Alberta

porary substitution of equipment is required in excess of seven days, the Board shall be notified of such substitution and shall have the right to make any order deemed necessary.

Dimensions of Vehicles.

1.8.1. No person, without the permission of the Board shall drive upon any highway any vehicle which with the load carried thereon exceeds any one of the following dimensions:

- (a) Ninety-six (96) inches in width.
- (b) One hundred and fifty (150) inches in height from the pavement or road surface.
- (c) Thirty-five (35) feet in wheelbase of any single unit.
- (d) Fifty (50) feet in overall length of any tractor with semi-trailer or any other combination of vehicles coupled together.

provided, however, that in the case of loads of loose fodder, the width of the load carried shall not exceed ten (10) feet.

1.8.2. The above Regulation, in so far as it applies to width, shall not apply to road construction or road maintenance equipment, threshing machines, implements of farm husbandry when being towed or when travelling under own power, provided, however, that in such cases the operator shall assume full responsibility for accidents or damages caused to any highway or bridge and further provided that where the width is in excess of eight (8) feet, there shall be conspicuously displayed, at extreme edges, flags during daylight hours and lights at other times.

Clearance Lights.

1.9.1. Every Public Service and Commercial Vehicle having a width in excess of eighty inches including the load thereon shall be equipped with clearance lights in accordance with the following provisions:


- (a) On the front of the vehicle, two amber lights one at each extreme width of the vehicle and/or load and as near the top as practicable.
- (b) On the rear of the vehicle, two red lights, one at each extreme width of the vehicle and/or load, and as near the top as practicable.

Providing, however, in the case of vehicle where it is impracticable to have clearance lights

CARGO BOND CERTIFICATES
TRUCKERS' INSURANCE — FIRE

CAMPBELL
and
HALIBURTON
(EDMONTON) LTD.

Phone 893121
12062 Jasper Ave.



104th STREET at 71st AVENUE,
EDMONTON, CANADA.

Phone: 35817

mounted at either the front or the rear of the body of the vehicle then the said required clearance lights may be carried at the ends of a bar or pipe securely attached to the top or the rear of the cab of the vehicle in such a manner that the extreme width of the truck and/or load may be plainly indicated from the front and the rear of the vehicle.

- (c) All Public Service and Commercial Vehicles including pole trailers shall, when carrying loads of lumber, poles, well casing or other materials which extend beyond the rear of the vehicle, be provided with flexible extension cords for the purpose of displaying red clearance lights at the extreme rear and extreme width of such loads.
- (d) In the case of semi-trailers or any combination of vehicles which exceed thirty-five (35) feet in length, then in addition to the above requirement, a red lateral light shall be located as near the centre as possible on the left side of the vehicle and in such a position as to make it clearly visible from any vehicle approaching from the left.
- (e) All clearance lights shall be controlled from a circuit that is separate from the head and tail light circuit of the vehicle.
- (f) All clearance lights shall be such and so placed that they shall be visible from a distance of at least five hundred (500) feet under normal atmospheric conditions.
- (g) During the period between sunset and sunrise or at any time when the atmospheric conditions are such that objects on the public highways are not plainly visible at a distance of three hundred (300) feet, the said clearance lights shall be alight.

Reflectors.

1.9.2. (a) Every Public Service and Commercial Vehicle having a width of eighty (80) inches or less including the load thereon shall be equipped with at least one reflector at the rear towards the left side of the vehicle. Such reflector may be either a separate unit, or one incorporated with the tail lamp unit.

(b) Every Public Service and Commercial Vehicle having a width in excess of eighty (80) inches including the load thereon shall be equipped with reflectors which have a

TRUCKERS . . . STOP AT THE
Ham 'n' Egger Cafe

Open 24 Hours

T-BONE STEAKS \$1.25
FOUNTAIN SERVICE, SOFT ICE CREAM
AIR CONDITIONED

Telephone 801195

15306 Stony Plain Rd.

Edmonton

TRUCKERS — SEE

BRANT WELDING CO.

"IF IT'S WELDING — IT'S OUR SPECIALTY"

Phone 21407

10577 109th Street

Edmonton, Alberta

SASKATOON WELDING
& MACHINE LTD.

GENERAL CONTRACTORS

WELDING — GENERAL MACHINE WORK
BOILER REPAIRS

W. L. "Leo" Naubert

Phones:

Office 22756 - 22447
11519 - 105th Ave.

Residence 25831
Edmonton, Alta.

22756

diameter of at least three (3) inches across the reflecting surface and in the following manner:

1. On the front of the vehicle, two amber reflectors, one at each extreme width of the vehicle body.
2. On the rear of the vehicle two red reflectors, one at each extreme width of the vehicle body.
3. Such reflectors shall be so placed as to be not less than twenty-four (24) inches and not more than sixty (60) inches above the surface of the road or pavement.

(c) Every reflector required by this section shall be of such size and characteristics and so maintained as to be readily visible at night time from all distances within five hundred (500) feet and fifty (50) feet from the vehicle when directly in front of lawful upper beams of head lamps.

1.9.3. No lights casting a red glow shall be displayed on the front of any Public Service or Commercial Vehicle, except as provided for by The Vehicle and Highway Traffic Act.

Flares.

1.10.1. Approved red flags and flares, lamps, lanterns, or reflectors which are capable of being visible under normal atmospheric conditions for a distance of at least five hundred (500) feet shall be carried at all times by all Public Service and Commercial Vehicles.

1.10.2. When during the period between sunrise and sunset a Public Service or Commercial Vehicle becomes stationary for any reason whatever upon any highway outside the boundaries of a city, town or village, the driver or other person in charge of such vehicle shall forthwith cause two red flags to be placed on the highway in line with the vehicle, one at a distance of approximately one hundred (100) feet in front of the vehicle and one at a distance of approximately one hundred (100) feet at the rear of the vehicle.

1.10.3. When during the period between sunset and sunrise or at any other time when there is not sufficient light to render clearly discernible persons and vehicles on the highway at a distance of five hundred (500) feet, a Public Service or Commercial Vehicle becomes stationary for any reason whatever upon any highway outside the boundaries of a city, town or village, and

24-HOUR SERVICE STATIONS

ST. ALBERT TRAIL SERVICE

(Coffee Shop Attached) Imperial Products
24 Hour Service and Towing
12106 St. Albert Trail Edmonton

TRIANGLE SERVICE STATION

24 Hour Service and Towing
Phone 73149 — Purity 99 Gas — All Brands of Oil
12658 Fort Rd. Edmonton, Alta.

O.K. SERVICE GARAGE

24 Hour Service and Towing
Phone 71817 Red Head Products
6608 - 118th Ave. Edmonton, Alta.

HEALY MOTORS LIMITED

24 Hour Service and Towing
Texaco Products Phone 21519
10859 - 101st Street Edmonton

WESTGLEN SERVICE LIMITED

24 Hour Service and Towing
Texaco Products Phone 87815
111th Ave. & 127th St. Edmonton, Alta.

REGENT MOTORS Ltd. & DOUBLE NINE Service

Mercury, Meteor Cars and Trucks
Purity 99 Products — Phone 31858 — 24 Hour Towing Service
6204 - 104th Street Edmonton

GREEN'S GARAGE

24 Hour Service and Towing Phone 82483
Complete Repairs on All Makes of Trucks — North Star Products
12404 - 127th Street Edmonton

SUNRISE SERVICE STATION

Paul Shandro - Michael Bordian
Cor. 107 Ave. & 109 St.
Phone 22212 Edmonton, Alta.

(a) the lighting equipment required by The Public Service Vehicles Act and/or The Vehicles and Highway Traffic Act is disabled, the driver or other person in charge of such vehicle shall immediately cause two red lanterns, flares or approved reflectors to be placed on the highway in line with the vehicle one at a distance of approximately one hundred (100) feet in front of the vehicle and one at a distance of approximately one hundred feet at the rear of the vehicle;

(b) the lighting equipment is not disabled, the driver or person in charge of such vehicle shall after a period not exceeding ten (10) minutes, proceed to set out flares, lamps, lanterns and reflectors as provided for above.

1.10.4. Whenever an officer of the R.C.M.P., or any officer empowered to enforce The Public Service Vehicles Act, finds a vehicle upon any highway in violation of section 1.10.1. he may move such vehicle, or require the driver, operator or other person in charge of such vehicle to move the same.

Fire Extinguishers.

1.11.1 Public Service Vehicles being used for the transportation of grain, fodder, coal, granite, railway ties, clay, brick, sand, lime, stone or gravel, shall be exempted from the carrying of fire extinguishers under the provisions of section 35 of The Public Service Vehicles Act.

Speed.

1.12.1. No person shall drive a truck operated as a Public Service Vehicle or Commercial Vehicle over any highway outside the corporate boundaries of any city, town or village, at a speed in excess of fifty (50) miles per hour.

1.12.2. Speed on Bridges: On main and secondary highways, the speed limit over bridges signed "Narrow Bridge" shall be fifteen (15) miles per hour. Over other bridges the speed limit shall be twenty-five (25) miles per hour.

Convoys.

1.13.1. For the purpose of this regulation convoy means two or more Public Service or Commercial Vehicles travelling in the same direction at approximately the same rate of speed and travelling together by mutual understanding or

CANADA WESTERN DISTRIBUTORS LTD.

10415 - 119th Street, Edmonton, Alberta

Phone 84113

**MARKETERS OF HUSKY GASOLINES
LUBE OILS AND GREASES**

“Husky Gets You Thru”

agreement.

When any motor vehicles are proceeding in convoy upon any highway, whether in motion or stationary, there shall be maintained between each vehicle a distance of not less than one quarter of a mile.

This regulation shall not apply in the case of a military or other convoy proceeding upon any highway under police supervision.

Inspection of Vehicles.

1.14.1. When requested to do so by an officer, the operator of any Public Service or Commercial Vehicle shall come to a stop in order to permit such officer to make such examination or investigation deemed necessary.

1.14.2. If the officer deems necessary, he may instruct the operator to take the vehicle to a weigh scale and have the vehicle and/or load weighed, and present the weight slip within a specific period.

1.14.3. When an officer finds any mechanical defects in a motor vehicle or any failure of the operator to comply with the requirements set out in the Regulations of the Board, he shall note the same on a form provided for that purpose and shall hand to the driver a copy of the same. If the driver is an employee, it shall be his duty to inform his employer and it shall be the duty of the owner of the truck to see that the defects are repaired and that the Regulations of the Board are complied with, and to return the form to the officer with notification to that effect within a specified time.

Working Hours for Drivers.

1.17.1. A holder of a Public Service or Commercial Vehicle Certificate shall not drive or allow any driver of any motor vehicle to work as a driver for more than the maximum number of hours provided for under the terms of The Alberta Labour Act, or in contravention of any of the Regulations passed under authority of the said Act by the Board of Industrial Relations.

1.17.2. All truck drivers licensed as chauffeurs except those employed within limits of cities, shall carry a log book to be prescribed by the Board, in which they shall daily record their hours of work. The book shall be available for inspection at all times, and when completed shall be returned to the Highway Traffic Board before a new one is issued.

Medical Certificates.

1.18.1. Each driver of a Public Service passenger-carrying vehicle, who is required by The Vehicles and Highway Traffic Act to secure a Chauffeur's license on the 1st day of April of each year, will be issued a certificate only on presentation of a satisfactory medical certificate obtained from a qualified medical practitioner in the Province of Alberta, certifying as to the driver's physical fitness.

Directional Signalling.

1.22.1. The driver of any Public Service or Commercial Vehicle shall before turning the vehicle to right or left or stopping the same indicate his intention so to do.

This indication shall be given in accordance with the Regulation of the Provincial Secretary's Department made under authority of The Vehicles and Highway Traffic Act or the driver may substitute therefor any signalling device which has been approved by the Highway Traffic Board.

Where the vehicle is so constructed or loaded that the hand and arm signal is not plainly visible from the front and rear of the vehicle, and in any case where the body of the vehicle extends twenty-four (24) inches or more to the left of the centre of the steering wheel, then such vehicle shall be equipped with an approved signalling device; and no person shall drive, operate or use such vehicle unless it is so equipped.

PARK INN CAFE

— OPEN 24 HOURS —

HOME COOKING A SPECIALTY

**We Welcome Your Patronage
Lots of Parking Space for Truckers**

AL RITCHIE, Proprietor

Phone 24642

Kingsway and 101 Street Edmonton, Alta.

HAINSTOCK & SON LTD.

FUNERAL DIRECTORS

Leduc Branch Phone 93

Phone 32025

10541 - 81st Ave.

Edmonton, Alta.

LELAND HOTEL

Your Home Away From Home

FULLY LICENSED

"TRUCKERS' HEADQUARTERS"

Phone 24203

104th Avenue and 102nd Street

Edmonton

Alberta

RED ROB INN

G. Serravalle, Prop.

"Where Food Is At Its Best"

**FISH & CHIPS — STEAKS — HAMBURGERS
LUNCHES — CONFECTIONERY**

Take-Out Orders Our Specialty

Phone 75135

9606 - 118th Ave.

Edmonton

3. FREIGHT VEHICLES

Signs on Vehicles.

3.1.1. Upon every Public Service or Commercial Vehicle, with the exception of those which have been certificated for the carrying of passengers only or for farm operation only, there shall be conspicuously or otherwise displayed on the left hand side front door or in such place as may be approved by the Board, the name and address of the owner, the weight of the vehicle (empty), the weight of the allowable load and the maximum weight of the vehicle and load. The minimum height of the letters shall be two (2) inches, provided, however, that for trucks operating solely within the cities and towns or five miles therefrom, the owner's name may be in legible size letters, so long as they are placed in a conspicuous position and are approved by the Board.

Maximum Weights.

3.2.3. Notwithstanding the carrying capacity allowed by the regulations of the Board on the basis of tire equipment, the following maximum weights shall be in effect:

(a) Axle Maximums:

For the purpose of this regulation, unless otherwise specified, "axle" shall mean any axle of a vehicle or combination of vehicles.

Maximum gross weight on any individual axle shall not exceed 18,000 pounds, providing, however, that the maximum weight on a front axle of a truck or tractor shall not exceed the total maximum allowance on the tires with which the axle is equipped, and in accordance with section 3.2.2. of these Regulations.

Maximum weight on any group of axles, or any tandem axles shall not exceed 18,000 pounds on any individual axle in the group and in some cases shall be less than 18,000 pounds, depending on the spacing of the axles, and in no case shall the final computation of the axles of any group exceed any overall maximum as herein set out. Such weights in the case of tandem or groups of axles shall be calculated on the following basis:

Where the distance between the axles is less than 42 inches, the group of axles shall be considered as a single axle and the maximum weight for the whole group shall

ATTRIDGE & MILLER

Machine Works Ltd.

**GENERAL MACHINISTS
AND WELDERS**

- **Crankshaft Grinders**
- **Babbiting Service**
- **Expert Engine Rebuilding**
- **Axel Restubbing**

**AGENTS
HERCULES MOTORS
PARTS**

125 - 12th Avenue West Calgary, Alberta

not exceed 18,000 pounds.

Where the distance between the axles is from 42 inches to ten feet inclusive, then the maximum weight of 16,000 pounds for each axle in the group will be allowed.

Where the distance between the axles exceeds ten feet then the maximum weight of 18,000 pounds will be allowed for each axle in the group.

(b) Overall Maximums:

The maximum gross weight of a vehicle or combination of vehicles shall not exceed the following limits:

- | | | |
|--|--------|--------|
| 1. Conventional type, two axled trucks | 24,000 | pounds |
| 2. Cab-over-Engine type, two axled trucks | 27,000 | " |
| 3. Conventional type, tandem axled trucks | 38,000 | " |
| 4. Cab-over-Engine type, tandem axled trucks | 41,000 | " |
| 5. Semi-trailers, or combination of truck and trailer having three axles only, | | |
| Conventional type | 42,000 | " |
| Cab-over-Engine | 45,000 | " |
| 6. Semi-trailer or combination of truck and trailer, having more than three axles and operated on specified high-ways only | 56,000 | " |

A tolerance of $2\frac{1}{2}\%$ or 1,000 pounds, whichever is the lesser, will be allowed.

For the purpose of this regulation, the specified high-ways mentioned herein are as follows:

- No. 1 Walsh to Banff.
- No. 2 Carway to Calgary-Edmonton-Clyde Corner.
Smith to Triangle.
Triangle to Peace River.
Grande Prairie to B.C. Border.
- No. 3 Medicine Hat to B.C. Border.
- No. 4 Lethbridge to Coutts.
- No. 9 Calgary to Alsask.
- No. 12 Lacombe to Compeer.
- No. 13 Wetaskiwin to Saskatchewan Boundary.
- No. 14 Edmonton to Saskatchewan Boundary.
- No. 16 Lloydminster to Jasper Park Gates.

RECIPROCITY

When perusing your copy of this Manual, bear in mind the various firms whose advertisements appear herein.

Favor them when possible with your trade and strive to direct to them the trade of your friends. Feel that their interests are your own.

If you will put into practice these maxims you will be observing in its truest sense the full meaning of the word.

RECIPROCITY

ALBERTA TRUCKERS' MANUAL
IS COPYRIGHTED

- No. 18 Clyde Corner to Westlock.
- No. 23 Monarch to High River.
- No. 34 Triangle to Grande Prairie.
- No. 44 Westlock to Smith.

7. On all other highways not so specified, the maximum gross weight for any vehicle or combination of vehicles shall be 45,000 pounds.

8. The maximum weight provided for in the preceding paragraphs of this section shall be permitted only when an axle, a vehicle or a combination of vehicles is equipped with tires of sufficient capacity to carry such maximum loads in accordance with Table 1, of section 3.2.2. of these regulations.

(c) For the purpose of licensing and assessing fees "maximum gross weight" shall be computed in accordance with the following formulae:

1. For single two-axle units of conventional type.
Maximum gross weight shall be the result obtained by multiplying the maximum allowable load on the rear axle of the unit by one and one-third.
2. For single two-axle units of the cab-over-engine type.
Maximum gross weight shall be the result obtained by multiplying the maximum allowable load on the rear axle of the unit by one and one-half.
3. For single units of the conventional type with tandem axles where the tandem axles are less than 42 inches apart.
Maximum gross weight shall be the result obtained by multiplying the maximum allowable load on the two tandem axles considered collectively by one and one-third.
4. For single units of the cab-over-engine type with tandem axles where the tandem axles are less than 42 inches apart.
Maximum gross weight shall be the result obtained by multiplying the maximum allowable load on the two tandem axles considered collectively by one and one-half.
5. For single units of the conventional type with tandem axles where the tandem axles are 42 inches or more apart.
Maximum gross weight shall be obtained by adding to the tandem axle allowances one-third of an equivalent single rear axle rating.

ATTENTION!

LIVESTOCK TRUCKERS

When accepting livestock, and if any should be in a slow or crippled condition, be sure to make entry of the fact on your bill of lading—it may cover a big loss which you cannot afford.

Be sure your cattle, hogs and sheep are properly marked for ownership by scissor clip or quick drying paint—it may save you a lot of money.

Abide by the Highway Traffic Regulations !!

A "PSV" license is a common carrier license and regulations governing it should be respected — it may save your license.

Truckers are well advised to carry transit insurance at all times.

6. For single units of the cab-over-engine type with tandem axles where the tandem axles are 42 or more inches apart.

Maximum gross weight shall be obtained by adding to the tandem axle allowances one-half of an equivalent single rear axle rating.

7. For tractor semi-trailers.

Maximum gross weight shall be obtained by computing the maximum gross weight for the tractor unit in accordance with the preceding sections 1 to 6 and adding to it the maximum allowable load on the axle or axles of the semi-trailer portion.

8. For any trailer or pole trailer.

Maximum gross weight shall be obtained by computing the maximum allowable load on each individual axle of the unit and taking the sum of such addition.


9. In all such cases where it is either impossible or impracticable to compute the maximum gross weight in accordance with the above formulae, then the maximum gross weight of any vehicle shall be that which is arbitrarily set by the Board.

10. Two-axled vehicles of the lighter type which are designed by the manufacturer to be equipped with only single 7.50x18 or smaller tires on the rear axle are permitted a tolerance of 25% in excess of the maximum gross weight computed in accordance with section 3.2.3.

11. (a) The maximum gross weight for Public Service and Commercial vehicles which are engaged solely in the transportation of household goods or any other special commodities which the Board may specify shall be the maximum weight as declared by the owner of the vehicle, provided that the maximum weight so declared shall not be less than seventy-five per cent of the maximum weight computable under the preceding paragraphs of this section.

(b) In the event that any vehicle licensed under the preceding paragraph is found to be operating with a greater maximum weight than that appearing on the certificate thereof, the certificate and plates issued for such vehicle shall immediately become null and void and shall be reinstated only upon the maximum weight being computed as provided for in the general provisions of this section and upon payment of such extra fee as would bring the total fee equal to that payable under sections 5.1.3. or 5.1.4.

Airway Tire Service Ltd.



**LARGE STOCK OF USED
AND RETREADED TIRES**

9637 - 111 Avenue
Edmonton, Alta., Canada
Phone 42750

O. H. (Shorty) Hegland
Bill Panek



Weiller & Williams Company Ltd.

Edmonton - Saskatoon
Calgary - Winnipeg
Vancouver - Chicago
South St. Paul

Live Stock Commission
Agents

CATTLE — HOGS — SHEEP

Edmonton Stock Yards

Office Phone 71211 — Edmonton, Alberta

(c) For the purpose of this section the term "Household Goods" means personal effects and property used or to be used in a dwelling when a part of the equipment or supply of such dwelling; furniture, fixtures and equipment belonging to stores, offices, museums, institutions, hospitals, or other establishments when a part of the equipment used by such stores, offices, museums, institutions, hospitals, or other establishments, and articles, including objects of art, displays and exhibits, which because of their unusual nature or value require specialized handling and equipment usually employed in moving household goods.

3.2.4. No person shall operate or permit to be operated any Public Service or Commercial vehicle which does not comply with the provisions of section 3.2.3. as to maximum load or "maximum gross weight".

Weight on Tires.

3.2.5. Subject to sections 3.2.2. and 3.2.3. of these Regulations, when a vehicle is so loaded that the weight of any one tire or any one axle exceeds the weight permissible, the operator when so instructed by an officer or inspector, shall remove the load or portion thereof before continuing to drive or operate the vehicle.

Extended Loads.

3.3.1. Whenever the load upon any vehicle extends to the rear five (5) feet or more beyond the bed or body of such vehicle there shall be displayed at the extreme rear end of the load the following warning signals:

(a) During the hours between sunrise and sunset, a red flag not less than twelve (12) inches square displayed in such a position as to be clearly visible at a distance of at least two hundred (200) feet from the rear of such vehicle and so hung that approximately the entire area is visible to the driver of a vehicle approaching from the rear.

(b) During the hours between sunset and sunrise, a red light which shall be clearly visible under normal atmospheric conditions to the driver approaching from the rear at a distance of at least five hundred (500) feet.

Provided that the above provisions shall also be applicable to any Public Service or Commercial vehicle which has a dangerous projection such as a reach or pole or other similar contrivance which projects five feet or more beyond

SCONA RADIATOR SERVICE



ALL WORK GUARANTEED

JIM MacNAUGHTON, Prop.

RADIATOR SPECIALISTS

for

CARS - TRUCKS

TRACTORS - AIRCRAFT

HEATING UNITS

Phones: Office 31471 — Res. 73383

10122 - 81st Ave.

Edmonton, Alta.

TRUCKERS STOP

at the

LETHBRIDGE HOTEL

FULLY LICENSED

Completely Modernized

Sample Rooms

Automatic Sprinkler System

Phone 3151

Lethbridge

Alberta

the rearmost limit at the main portion of body or bed of such vehicle.

Loose Material.

3.3.2. When the load of a vehicle consists of loose material or of material liable to shift whilst being conveyed, it shall be placed on the vehicle inside a container or otherwise so placed as to prevent it from slipping off.

Cordwood.

3.3.3. Where the load of a vehicle consists of two widths of cordwood it shall be so placed thereon that the ends of the cordwood at the outside are at least three inches higher than the ends of the cordwood at the centre of the vehicle.

Trailers.

3.4.1. Except by permission of the Board, all trailers having a carrying capacity in excess of five thousand (5,000) pounds in accordance with tire equipment as provided by these Regulations, and all semi-trailers must be equipped with adequate braking mechanism under the control of the operator, provided, however, that this Regulation does not apply to two-wheeled trailers used without a platform.

3.4.2. No single axled trailer, exclusive of a semi-trailer, shall be operated behind any truck for the purpose of carrying a tank for the transporting of petroleum products.

3.4.3. No motor vehicle shall be operated with a trailer or trailers unless such trailer or trailers each have two separate means of attachment so constructed and attached that the failure of one of such means will not permit the trailer to become detached: provided that this Regulation shall not apply to tractor-trailers.

Fifth Wheel Devices.

3.4.4. In the case of semi-trailers or tractor-trailers fifth wheel devices shall comply with at least the following provisions:

(a) The upper and lower half of the fifth wheel devices shall be securely attached to the semi-trailer and truck tractor respectively.

(b) Locking means shall be provided in every fifth wheel mechanism so that upper and lower halves may not be separated without positive manual release.

COMPLIMENTS OF
RIVERVIEW HOTEL

(Next door to R.C.M.P. Barracks)
Individual and Family Accommodation

**Half Block South of Jasper Ave.
on Highway 16**

Phone 28665

10136 - 95th Street

Edmonton, Alta.

COMPLIMENTS OF
Canadian Linen Co. Ltd.

Phone 43181

8631 Stadium Road

Edmonton, Alta.

TRUCKERS . . .

Alberta Safety Service Ltd.

Are Automotive Specialists in

**ALIGNMENT, FRAME STRAIGHTENING
AND STEERING**

Phone 28960 — Nights 20821

9305 - 111th Avenue

Edmonton, Alberta

(c) All fifth wheel devices shall function properly and freely.

3.4.5. Not more than one trailer shall be towed behind any motor vehicle.

Explosives.

3.5.1. No Public Service or Commercial vehicle shall accept for transportation explosives, except on special authority granted by the Highway Traffic Board, or by an officer of the R.C.M.P. When such authority is given, articles included under this heading must be described, packed, marked, loaded, stayed and handled in accordance with Regulations governing the transportation of explosives as described by The Explosives Act of Canada and in accordance with the Regulations of the Board.

Inflammable Liquids.

3.5.2. All Public Service and Commercial vehicles used for the purpose of transporting petroleum products in tanks shall comply with the following Regulations:

Inflammable petroleum products shall be classified as follows:

Class 1. All petroleum products having a flash point at or below 80 degrees Fahrenheit according to the Tagliabue Open Tester.

Class 2. All petroleum products having a flash point above 80 degrees Fahrenheit and below 175 degrees Fahrenheit according to the Tagliabue Open Tester.

All tanks used for the transportation of inflammable petroleum products shall be classed as follows:

Class A: All tanks used for distribution purposes.

Class B: All tanks used for freight or bulk hauls from refinery to disposition centre.

Class C: All tanks used exclusively for the purpose of transporting crude oil from field to refinery or disposal centre.

Each tank shall be clearly marked on each side with a letter "A", "B" or "C" not less than 12 inches high designating the class to which it belongs.

FLEET OWNERS!

Protect Your Equipment With

FRAM Oil Filters and BARDAHL

See Us for the Best in Shop Equipment
or Phone 22359 - 23113

MECHANICS' SUPPLY CO. LTD.

Edmonton

Alberta

Reliable Tire Repair

**NEW AND USED TIRES AND TUBES
FOR CARS AND TRUCKS**

Phone 31636

SAM HELMAN, Prop.

Rear 10138 - 82 Ave. Edmonton, Alberta

Alberta Meat Company

"All Kinds of Fancy Meats and Sausages"

WHOLESALE AND RETAIL

Phone 44745

10243 - 96th Street Edmonton, Alberta

TANK CONSTRUCTION

Except as hereinafter provided, tanks shall be constructed throughout of open hearth steel or blue annealed steel, of a thickness and gauge in accordance with the following table:

Aggregate Capacity Imp. Gals.	Minimum Thickness of Material Head
Up to 500 gals. 14 Ga. U.S. Std.	14 Ga. if bilged or corrugated, otherwise 12 Ga.
500 to 1000 gals. 12 Ga. U.S. Std.	12 Ga. if bilged or corrugated, otherwise 10 Ga.
Over 1000 gals. 10 Ga. U.S. Std.	8 Ga. U.S. Std.

Tanks exceeding 1,000 gallons in capacity may be constructed with 12 Ga. shells and 10 Ga. heads provided they are subdivided into compartments and are mounted on chassis equipped with pneumatic tires. Provided, however, that in the case of Class "C" tanks, the sub-division need be made only by approved baffles or surge plates into spaces as hereinafter provided for such tanks.

Materials other than that specified above may be used in thickness which will give strength equivalent to that of open hearth or blue annealed steel.

Shell and head joints shall be welded, rivetted and welded, brazed or rivetted and brazed, rivetted and caulked, or made tight by some equally satisfactory process.

Each compartment of the completed tank shall be tested and proven tight, a five pound minimum pressure applied for a period of one hour.

Outlets shall be substantially made and attached to the tanks so as to prevent breakage at outlet joint and so as to permit complete drainage.

Class "A" tanks having a capacity in excess of 500 Imperial gallons shall be divided into compartments of not more than 500 Imperial gallons each with a tolerance of ten per cent, except that in the case of the front and rear compartments, a maximum capacity of 600 Imperial gallons shall be allowed.

Class "B" tanks shall be divided into compartments not exceeding 1,200 Imperial gallons each. Whenever the capacity of any one compartment exceeds 600 Imperial gallons, or

Every Kind of Insurance For Truckers

'INDEPENDENT'S IS THE BEST POLICY'

INDEPENDENT INSURANCE EXCHANGE LTD.

Phone 24544

100 Agency Bldg.


Edmonton, Alberta

MARKET TIRE

Specializing in
**Large Equipment for
Gravel and Oil
Transport**

Phones 21415 - 22509

**106th St. and 104th Ave.
Edmonton, Alberta**



when otherwise required by the Mechanical Branch, each compartment shall be provided with surge plates or baffles and such surge plates or baffles shall be dished and continuously welded to the shell of the compartment except at equalizing ports. The number of baffles or surge plates that may be required shall be at the discretion of the Mechanical Branch.

Class "C" tanks may be divided into compartments not exceeding 1,800 Imperial gallons, provided that each compartment is subdivided into spaces consisting of not more than 450 gallons each, by approved baffles or surge plates. Suitable means shall be provided to facilitate the removal of any sedimentation that may take place at the bottom of such tank.

No mixed cargo consisting of Class 1 and Class 2 petroleum products shall be loaded or transported in any adjoining compartments unless such compartments are separated by an air space. Where such air space is provided it shall be equipped and maintained with adequate drainage and venting facilities.

The matter of the number and the sequence of compartments that shall be separated by an air space on any tank shall be at the discretion of the Mechanical Branch.

Tanks shall be adequately supported and securely attached, clamped or bolted to the frame of the truck or trailer.

VENT VALVES AND FUSIBLE PLUGS

Each compartment shall be provided with the following safety devices:

(1) A device for relieving pressure and preventing vacuum within the compartment, such device shall have an effective area not less than 0.44 square inches.

(2) Fusible plug with safety screen having a free opening equal to a circular hole 1.29/32 inches in diameter. The fusing temperature of the fusible element shall not exceed 200F.

(3) Static Chains.—The tank, chassis, axles and springs of every vehicle shall be metallically interconnected and tank trucks and trailers must be equipped with drag chains or some other flexible metallic device long enough to reach the ground, and capable of grounding such static charges as

TRUCKERS — CONTACT

**Hugh R. Stephenson
Agencies**

For

**LIABILITY, FIRE, AUTO, BURGLARY, CARGO
AND PERSONAL EFFECTS INSURANCE**

Phones 25267 - 26911

10116 - 101st Street

Edmonton, Alta.

W E S T E E L

Alberta's Largest Truck Tank Builders

STANDARD TRUCK TANKS

SEMI-TRAILERS

DEMOUNTABLE TANKS

Latest Advancement in Truck Tank

Engineering and Design

Power Take-Offs, Pumps, Meters

Westeel Products Ltd.

Calgary

Edmonton

may be present, and spare links for every drag chain shall be carried in the tool box and the driver held responsible for keeping the chain in working order.

3.5.3 Vehicles transporting inflammable materials, shall, when following another vehicle or vehicles also transporting inflammable materials, maintain a distance of not less than 300 yards to the rear of same. This regulation, however, shall not preclude the passing of one by the other when travelling the same direction.

3.5.4. (a) No person either by himself or his agent shall construct or cause to be constructed, advertise, sell or offer for sales or transfer to anyone, any tank intended to be mounted on any Public Service or Commercial Vehicle and to be used for the purpose of transporting inflammable petroleum products without first having submitted to the Mechanical Branch of the Department of Public Works such details pertaining to the construction of the tank as may be requested by the Mechanical Superintendent of the said Branch and having received from him a certificate of approval. Provided, however, that the provisions of this section shall not apply to any tanks that were mounted on Public Service or Commercial Vehicles and duly registered in the Province of Alberta prior to January 1st, 1953.

(b) Every operator of a Public Service or Commercial Vehicle equipped with a tank for the purpose of transporting petroleum products shall when so requested either by the Highway Traffic Board or the Mechanical Branch submit such tank for inspection and shall supply all such details pertaining to the construction of the tank as may then be required.

(c) The Highway Traffic Board shall have the right to suspend or cancel the license of any Public Service or Commercial Vehicle which has mounted on it a tank which in the opinion of the Board is either unsafe or unsuitable for the purpose of transporting petroleum products, or which does not fully comply with these Regulations.

(d) Public Service and Commercial Vehicles which are duly certificated for the purpose of hauling inflammable liquids in any other Canadian province outside of the Province of Alberta may be exempted by The Highway Traffic Board from the provisions of the preceding paragraph (a) of this section if the Board feels satisfied that similar provisions have been met in their own province, or that the vehicle, in their opinion, is adequate for the purpose intended.

"Friendly Specialized Insurance Service"

Truck and Cargo Insurance

Lowest Rates — Broadest Coverage

Oil Field Equipment — Gasoline — Crude Oil
and General Merchandise

Before You Buy — Phone, Write, Wire or Call

STUART & HARVEY LTD.

106 Mercantile Bldg., 10182 - 103rd Street
Edmonton

Phone 25517

Phone 44881

FULL INFORMATION WITHOUT OBLIGATION

Truckers . . .

*Joe McCallum
McConnell Eastman*

For complete satisfaction to your patrons
consign all your livestock to

O. A. BROWN LTD.

EDMONTON STOCK YARDS

Phone ~~71124~~ *GR 71124*

Highest Prices Obtained — Prompt Settlement

M D McCallum

(e) Tanks originally designed and intended for storage of inflammable petroleum products shall not at any time be used for the purpose of transporting such products.

(f) Skid tanks appropriately designed to be used either as transport or storage tanks may be used for the purpose of transportation where there is a necessity for their joint use as a transport storage unit. In no case, however, shall such skid tanks be used in place of tank trucks, tank trailers or tank semi-trailers for regular deliveries.

Liquefied Petroleum Gases.

3.5.5. All Public Service and Commercial Vehicles used in transporting liquefied petroleum gas shall comply with the Regulations as herein set out:

(a) Definitions:

In these Regulations, the expression:

“approved” means inspected and labelled by a recognized testing laboratory and acceptable to the Mechanical Branch;

“container” means any vessel used for containing liquefied petroleum gas and when used in conjunction with N.B.F.U. Pamphlet No. 58 shall have the same meaning as is intended in the pamphlet;

“liquefied petroleum gas” or the abbreviated form “L.P. gas”, means and includes any material either in liquid or gaseous state which is composed predominantly of any of the following hydrocarbons, or mixtures of them: propane, propylene, butanes (normal butane or iso-butane), and butylenes;

“Mechanical Branch” means a branch of the Government of the Province of Alberta so designated under the Department of Public Works;

“N.B.F.U.” means the National Board of Fire Underwriters of the United States of America.

“N.B.F.U. pamphlet No. 58” means a pamphlet issued September, 1951, by the National Board of Fire Underwriters of the United States of America and in which pamphlet are contained standards for the design, installation and construction of containers and pertinent equipment for the storage and handling of Liquefied Petroleum Gases;

“portable cylinder” means any container used for the transportation and supply of L.P. gas for temporary installation in conjunction with any gas burning system or appliance,

CHARLES L. LEHMAN LTD.

Patentee and Manufacturer of
GAS APPLIANCES

**Water Heaters - Conversion Gas Burners
Thermostatic Valves, etc.**

Phone 25566

9331 - 111 Ave.

Edmonton, Alta.

COMPLIMENTS OF

COMMERCIAL CAFE

(Open 7 Days a Week)

SPECIALIZING IN TASTY STEAKS AND CHOPS

Phone 33882

10333 - 82 Ave.

Edmonton

TRUCKERS . . .

Get Prompt Attention for Truck Lettering
at Reasonable Prices at

HALLIWELL SIGNS

Ph. 22545 — Res. 393138

10121 - 108th Ave.

Edmonton, Alta

STANDARD EXCHANGE

Business Phone 26441

**We Buy and Sell Clothing, Jewelry, Guns
and Musical Instruments**

A. Estrin, Prop.
10273 - 101st Street

Res. Phone 83744
Edmonton, Alta.

but does not include a skid tank;

"skid tank" means a container which may be used either as a transport or storage tank;

"storage tank" means any vessel which is permanently installed and used for storage of L.P. gas;

"tank" means any tank here referred to whenever applicable, that is to say, a skid tank, storage tank or transport tank;

"transport tank" means any container designed to be permanently mounted on a truck, trailer or semi-trailer; and all other expressions used shall have the same meaning as in The Public Service Vehicles Act.

(b) Approvals Required.

(1) No person shall load or transport any tank container on any Public Service or Commercial Vehicle unless such tank or container bears a label of approval issued by the Mechanical Branch.

(2) No person shall either by himself or his agent cause to be constructed, construct or offer for sale any tank or container intended for hauling liquefied petroleum by means of a Public Service or Commercial Vehicle unless he is in possession of an approval certificate issued by the Mechanical Branch.

(3) Notwithstanding the provisions contained in these regulations the Mechanical Branch shall have the right to withhold or refuse to grant a certificate of approval for any tank (tanks) or container (containers) intended for the purpose of transporting liquefied petroleum gases when in their opinion the tank (tanks) or container (containers) is (are) not properly mounted on the chassis of the vehicle or not properly equipped or for any other valid cause or causes.

(c) Standard of Equipment of Tanks and/or Containers.

Unless otherwise directed or approved by the Mechanical Branch all tanks or containers shall be equipped with such valves, accessories, piping and fitting and safety devices as required by N.B.F.U. pamphlet No. 58, Division 3.

(d) Tank Truck Fuel Systems.

In the event liquefied petroleum gas is used in the truck engine, the fuel system shall be installed in a manner outlined in Division 4 of the N.B.F.U. pamphlet No. 58.

"The Home of Dependable Transportation"

DODGE & DE SOTO

CARS

DODGE TRUCKS

Genuine Chrysler Parts

BURROWS MOTORS LIMITED

Phone 29214

10126 - 106th Street

Edmonton

Canadian Cancer Society

EDMONTON DISTRICT BRANCH

RESEARCH

EDUCATION

WELFARE

FIGHT CANCER

11328 Jasper Ave.

Edmonton

Phone 86992

Inserted by a Prominent City Business Firm

(e) Transfer of Liquids.

(1) Truck, trailer and semi-trailer containers shall be loaded by weight, by meter or by suitable level gauging device. (see Section B 16, N.B.F.U. pamphlet No. 58.)

(2) Pumps or compressors shall be designed for use with L.P. gas in accordance with the provisions of N.B.F.U. pamphlet No. 58.

(f) Mounting Container on Trucks, Semi-Trailers or Trailer Vehicles.

(1) A suitable "stop" or "stops" shall be mounted on the truck, semi-trailer or trailer or on the container, in such a way that the container shall not be dislodged from its mounting due to the vehicle coming to a sudden stop. Back slippage shall also be prevented by proper methods.

(2) A suitable "hold-down" shall be provided which will anchor the container at one or more places on each side of the container to the truck, semi-trailer or trailer frame so as to minimize loosening due to vibration.

(g) Electrical Equipment and Lighting.

Tank trucks, tank trailers and tank semi-trailers, shall not be equipped with any artificial light other than electricity. Lighting circuits shall have suitable over-current protection (fuses, or automatic circuit breakers); the wiring shall have sufficient carrying capacity and mechanical strength, and shall be suitably secured, insulated and protected against physical damage.

(h) Trailers and Semi-Trailers.

(1) All trailers shall be firmly and securely attached to the vehicle drawing them by means of suitable drawbars, supplemented by safety chains.

(2) Every trailer or semi-trailer shall be equipped with a reliable system of brakes, and adequate provision shall be made for its efficient operation from the driver's seat of the vehicle drawing the trailer.

(3) Every trailer or semi-trailer used for the purpose of transporting liquefied petroleum gases shall be equipped with such lights and reflectors as may be required by The Vehicles and Highway Traffic Act and the Regulations of The Public Service Vehicles Act.

(4) Two-wheeled trailers shall not be operated behind any truck for the purpose of carrying a tank or a container used for the transportation of liquefied petroleum gases.

SEE US FOR—

“King” Lowbed Trailers and Fifth Wheels

“Braden” Truck Winches and P.T.O.’s

Single and Two Speeds

Heil Hoists and Bodies

“Eastern Steel Products” — Snow Plows

WINCH LINES — JACKS — SNATCH

BLOCKS — TOW HOOKS

Wilkinson & McClean Ltd.

Edmonton — Calgary — Lethbridge



EDWARDS

“Smile”

HAT SHOP

STETSON HATS — FIT-REFORM

CLOTHES AND ACCESSORIES

Look for the “SMILE” Sign

Phone 22272

10027 Jasper Ave.

Edmonton

(5) Four-wheeled trailers shall be of a type of construction which will prevent the towed vehicle from whipping or swerving from side to side dangerously and will cause it to follow substantially in the path of the towing vehicle.

(6) Where a fifth wheel is employed, it shall be ruggedly designed, securely fastened to both units, and equipped with a positive locking mechanism which will prevent separation of the two units, except by manual release.

(i) Static Electricity Precautions.

The tank, chassis, axles and springs shall be metalically connected. Suitable means shall be provided for discharging static prior to and during loading and unloading operations. Tanks shall be statically bonded to the filling and/or to the receiving tank before any hose connections are made for the purpose of loading or unloading.

(j) Exhaust Systems.

(1) The exhaust system, including muffler and exhaust line, shall have ample clearance from the fuel system and combustible materials. Truck muffler and exhaust pipe shall be placed as far as practicable from any tank valves, pumps or piping.

(2) Muffler cut-out shall not be used.

(k) Extinguishers Required.

Each truck or tractor shall be provided with an approved fire extinguisher, or extinguishers of a capacity rated as one unit for Class "B" or petroleum fires.

(l) Smoking Prohibited.

Tank truck drivers and their helpers shall be instructed not to smoke or allow smoking around the truck on the road, while making deliveries, filling the trucks or making any repairs to tank truck or tank trailer.

(m) Protection Against Collision.

Each tank truck and trailer shall be provided with properly attached steel bumpers or chassis extension which shall be so arranged as to protect the tank, piping, valves and fittings in case of collision.

(n) Chock Blocks.

Chock blocks shall be provided for the rear wheels and chained permanently to the vehicle. Such blocks shall be

ASSOCIATED INVESTORS OF CANADA LIMITED

Telephone 26815

**4 Per Cent Investment Certificates
Both Immediate and Deferred Annuities**

Branches: Alberta, British Columbia, Saskatchewan

**Head Office:
10341 - 97th Street Edmonton, Alberta**

Phone 74411

TRUCKERS — STOP AT

FITZ'S Fish and Chips

Phone 28458

Take-Out Orders A Specialty

9226 - 111 Ave.

Edmonton

CORONA SHOE RE-NU

**2 STORES
FOR YOUR CONVENIENCE**

No. 1 10756 Jasper Ave., Phone 23796

No. 2 In Lane North of Jasper, Phone 45651

Between 101st and 102nd Streets

"The West's Most Modern Shoe Repair"

EDMONTON

ALBERTA

stored in suitable carriers when not in use. These blocks shall be placed at rear wheels to prevent rolling of the vehicle whenever it is parked including loading and unloading operations.

(o) Skid Tanks.

Skid tanks shall not be used in place of tank trucks, tank trailers or tank semi-trailers for regular deliveries. They shall be employed only where there is a necessity for their joint use as a transport and storage unit. Where skid tanks are used they shall comply with all requirements of these regulations and with Section 2.6 (f) of Division 11 as contained in N.B.F.U. pamphlet No. 58.

(p) Transportation of Portable Cylinders.

(1) Portable cylinders shall not be loaded or placed on any Public Service or Commercial Vehicle in locations where the maximum temperature is likely to rise in excess of 100 degrees F.

(2) Such cylinders along with the valves and accessories shall be protected from mechanical injury and from tampering by unauthorized persons.

(3) Portable cylinders shall not be transported in any heated van unless a separate compartment is provided wherein a temperature of less than 100 degrees F. is being maintained. Where such compartment is provided it shall be thoroughly vented. This venting shall be by means of openings in top and bottom of said compartment.

(4) All portable cylinders shall be kept away from any open flame or direct heat.

(5) Each cylinder before being loaded shall be tagged with a red tab bearing the words: "EXPLOSIVE: KEEP AWAY FROM HEAT", in unshaded black letters not less than $\frac{1}{2}$ inch in height.

(6) All portable cylinders whilst in transit shall be securely clamped or fastened in an upright position.

(q) Painting.

All truck tanks and/or semi-trailer tanks used in the transportation of liquefied petroleum gases shall be finished with a heat reflecting surface, either white or aluminum, and shall be maintained in good condition. Painting containers red or other heat absorbing color is prohibited.

FIRE INSURANCE

Coverage for Albertans

at

Reasonable Rates

See Your Local Agent
THE ALBERTA GENERAL INSURANCE
CO.

Guaranteed by the
Government of the Province of Alberta

EDMONTON

CALGARY

Mota Hotel
Kingsway Cabins Limited

Telephone ~~24745~~
6R94266

Follow No. 2 Highway to Airport

A few minutes from the heart of
Downtown Edmonton

11311 Kingsway

Edmonton, Alta.

20 Grade "A" Cabins

Coffee Shop — Store — Gasoline in conjunction

Write Letter

Jim Gregg 54

(r) Lettering

All such truck tanks and semi-trailer tanks, in addition to the heat reflecting finish, shall have painted thereon in letters not less than six inches in height, an appropriate warning indicating the nature of the contents of the tanks.

(s) Inspection of Vehicles.

Every operator of a Public Service or Commercial Vehicle who uses a tank or a container for the purpose of transporting liquefied petroleum gases by means of such vehicle shall when so requested either by the Highway Traffic Board or the Mechanical Branch permit the inspection of such vehicle and tank or container and shall supply all such details pertaining to construction of the tank or container as may then be required.

(t) Parking of Liquefied Petroleum Gas Transports.

(1) Liquefied petroleum gas transport trucks or semi-trailers when not in use shall not be parked over night closer than 50 feet to any building or group of buildings except where such building or buildings are devoted exclusively to the transaction of liquefied petroleum gas business operations.

(2) Liquefied petroleum gas transports shall not be left parked at night on any highway, road, street, or alley.

(3) Liquefied petroleum gas transports shall not be parked beneath or adjacent to any electric transmission line in such position that there is a possibility of a conductor contacting the tank in event of breakage.

(u) Transportation Storage Tanks Prohibited.

Storage tanks shall not at any time be used for the purpose of transporting L.P. gases on any Public Service or Commercial Vehicle. Provided, however, that this shall not prohibit the transportation of any empty storage tanks which have been completely steamed and freed of all L.P. gas.

(v) Filling Containers.

(1) All wholesalers shall show on the manifest given to the truck operator, the vapor pressure and gross gallons of gas and the loading temperature.

(2) Marketers and users shall not introduce a liquefied petroleum gas, or a mixture thereof, into any container when the vapor pressure of such gas at 100 degrees F.

TRUCKERS — CALL
PAGE THE CLEANER
& FURRIER

FREE PICK-UP AND DELIVERY
Edmonton's Leading Cleaner and Furrier
Refrigerated Fur Storage — Fur Sales
Fur Repairing and Alterations
Phone 73575

9338 - 118th Avenue

Edmonton, Alta.

Northwestern Toni Lynn
LTD.

MANUFACTURERS OF
MEN'S SPORTSWEAR
MEN'S WORK CLOTHES

Phone 892716

10930 - 119th Street

Edmonton, Alta.

COMPLIMENTS OF
Swanson Lumber Company
LIMITED

MANUFACTURERS AND WHOLESALERS OF
WESTERN WHITE SPRUCE
MILLS AT: GRANADA, CHISHOLM AND
AGGIE, ALBERTA

Phone 23438

10009 - 105th Street

Edmonton, Alberta

exceeds the design working pressure of the container.

(3) Tanks or containers shall not be completely filled with liquid. About 10% vapor space should be retained for fluid expansion.

Inland Transportation Insurance.

3.6.1. Every person to whom a Public Service Vehicle certificate is granted shall take out and keep in force a policy of inland transportation insurance against loss or damage to their shipments, and shall deposit a copy of such policy with the Board. Such insurance shall be in the minimum amount specified hereunder:

(a) Public Service Vehicles operating from truck terminals and engaged in the transportation of general merchandise,—

Maximum gross weight not exceeding 8,000 lbs.	\$ 1,500.00
Maximum gross weight 8,001 lbs. to 24,000 lbs.	5,000.00
Maximum gross weight 24,001 lbs. to 30,000 lbs.	7,000.00
Maximum gross weight 30,001 lbs. to 40,000 lbs.	10,000.00

(b) All other Public Service Vehicles engaged in the transportation of general merchandise,

Maximum gross weight not exceeding 8,000 lbs.	\$1,500.00
Maximum gross weight not exceeding 24,000 lbs.	2,000.00
Maximum gross weight not exceeding 30,000 lbs.	3,500.00
Maximum gross weight not exceeding 40,000 lbs.	5,000.00

(c) Public Service Vehicles engaged solely in the transportation of live stock,

Maximum gross weight not exceeding 8,000 lbs.	\$ 750.00
Maximum gross weight exceeding 8,000 lbs.	1,500.00

(d) Trucks engaged solely in transporting milk, cream and other farm products from farm to market \$300.00

(e) Public Service Vehicles engaged solely in the transportation of a special commodity, such as petroleum products Actual cash value of cargo

(f) Public Service Vehicles engaged in the transportation of a special commodity, insurance shall be in such amount as the Board may determine.

Western Construction & Lumber Co. Ltd.

General Contractors, Airport Construction

Lumber Manufacturers

Wholesale Lumber

Phone 41161

11111 - 105th Avenue

Edmonton


Alberta

ENJOY THE HEALTH HABIT

Sparkling
Refreshment
for the
Whole Family ...

Made from Real
Orange Juice!

Prairie Rose
Mfg. Co. Ltd.
Edmonton



**ALWAYS LOOK TO
IMPERIAL
FOR THE BEST
IMPERIAL OIL LTD.**



See Pages following for listings of dealers
from the boundary to Alaska.

LISTING OF IMPERIAL STATIONS FROM COUTTS, MONTANA, TO FAIRBANKS, ALASKA

Edmonton

City Centre	Cor. 104 St. and 103 Ave.
East End Service Station	Jasper Ave. and 96 St.
Loveseth Service Station	Jasper Ave. and 106 St.
Garneau Service Station	109 St and 86 Ave.
Glenora Service Station	102 Ave. and 124 St.
Mills Motors	Jasper Ave. and 109 St.
High Level Service Station	109 St. and 88 Ave.
Patricia Service Station	Jasper Ave. and 116 St.
Viewpoint Service Station	Jasper Ave. and 82 St.
Field's Service Station	Fort Trail and 66 St.
Three Point Service Station	Jasper Ave. and 95 St.
Parliament Service Station	109 St. and 99 Ave.
MacMillan Bros. Service Station	Jasper Ave. and 114 St.
Kingsway Service Station	101 St. and Kingsway
Patry's Service Station	95 St. and 117 Ave.
Sunrise Service Station	107 Ave. and 109 St.
Leland Service Station	102 St. and 104 Ave.
English Cars Ltd.	10131 - 121 St.
E. I. Clarke's Garage	107 St. and 104 Ave.
Deluxe Service Station	107 Ave. and 114 St.
Empire Garage	103 Ave. and 97 St.
National Service Station	96 St. and 104 Ave.
Calgary Trail Service Station	78 Ave. and 104 St.
Dawson Auto Service	105 Ave. and 72 St.
Tom's Auto Service	87 Ave. and 99 St.
King Edward Park Service Station	82 Ave. and 91 St.
Park Allen Service Station	70 Ave. and 109 St.
Connor's Service Station	9335 Connor's Road
McKenzie Service Station	149 St. and 102 Ave.
Westlawn Service	166 St and Stony Plain Road
Southbend Service Station	5138 - 103 St.
Imperial Service Station	6320 - 104 St.

TRUCKERS . . . STOP AT THE
TOP HAT CAFE

TOPS in FOODS
DRIVE-IN SERVICE

See Our CHAPEAU ROOM — Catering
to Banquets and Social Gatherings

Phone 35351

CATERING SERVICE

7121 - 104 Street

Edmonton, Alberta, Canada

BRITE-TONE DRY CLEANING

Science's Greatest Achievement in Dry Cleaning
EXCLUSIVE AT

TRUDEAU'S
Cleaners & Dyers Ltd.

EDMONTON'S EXCLUSIVE BRITE-TONE
CLEANERS

Phone 23431 — 3 to 4 Day Service

Just South of Jasper on 103rd St., Edmonton, Alta.
Trudeau's Is Edmonton's Only Union Dry Cleaning
Plant, Assuring First Quality Workmanship
by Skilled Union Workers

Royal Alex Service Station	96 St. and 111 Ave.
Master Motors	97 St. and 118 Ave.
McCauley Service Station	95 St. and 106 Ave.
Bill's Service Station	72 St. and 112 Ave.
Imperial Garage	115 Ave. and Fort Road
Scotty's Garage	103 Ave. and 101 St.
Belvedere Service Station	12913 Fort Road
Regent Motors	113 St. and Jasper Ave.
Waterloo Motors	107 St. and Jasper Ave.
Pioneer Service	119 St. and Jasper Ave.
Healy Motors	105 St. and Jasper Ave.
Elm Park Service Station	127 Ave. and 117 St.
Kingsway Auto Cabins	114 St. and Kingsway
Hope Motors Limited	102 St. and 82 Ave.
Turnbull Motors	82 Ave. and 105 St.
Andrew Motors Limited	106 St. and Kingsway
Martin Estate Service Station	61 Ave. and 109 St.
Alaskan Motors Limited	11905 Kingsway
Danny's Service Station	96 St. and 108A Ave.
St. Albert Trail Service Station	13106 St. Albert Trail
Sherbrooke Garage	126 St. and 118 Ave.
Stadium Motors	90 St. and 112 Ave.
Three Star Motors	85 St. and 118 Ave.
Wayne Bros. Service Station	80 St. and 118 Ave.
Windsor Esso Service	87 Ave. and 118 St.
Hazlett's General Store	9672 Scona Road
Hood Motors Limited	82 Ave. and 107 St.
Imperial Motor Service	140 St. and 102 Ave.
Jensen Motors	106 St. and 127 Ave.
Lands Auto Service	121 Ave. and 66 St.

Open 24 Hours

Phone 31121

Turnbull Motors Ltd.

Fargo Trucks - Imperial Products - Towing Service
7930 - 104 Street, Edmonton, Alberta

Miller Motors	100 Ave. and 104 St.
Nick's Esso Service	111 St. and 109 Ave.
Ritchie Service Station	75 Ave. and 99 St.
Sterling Motors Limited	79 Ave. and 101 St.
Stockyards Service Station	55 St. and 127 Ave.
Tower Esso Service	114 St. and 112 Ave.
North Delton Store	86 St. and 128 Ave.
British Car Repairs—North Branch	113 Ave. and 95 St.
Westmount Garage	11030 St. Albert Road
Bender's Esso Service	16002 Stony Plain Road
Beverly Motors	48 St. and 118 Ave.
Beverly Service Station	44 St. and 118 Ave.
Southern Garage Limited	45 Ave. and Calgary Trail
Park Service	R.R. 4, North Edmonton
Gundersons Auto Service	142 St. and 118 Ave.
Macdonald Parking Service	99 St. and Jasper Ave.
Carey's Esso Service	149 St. and 111 Ave.
Braemar Service	72 St. and 101 Ave.



Calgary

Windsor Service Station	4th Ave. and 9th St. West
Paramount Service Station	17th Ave. and 8th St. West
Roxboro Service Station	4th St. and 26th Ave. West
City Sall Service Station	7th Ave. and 2nd St. East
Riverside Service Station	4th St. E. and McDougal Rd.
Ed and Ted's Service Station	1st St. and 11th Ave. West
Hygrade Service Station	12th Ave. and 8th St. West
Motor Inn Service Station	7th Ave. and 5th St. West
Banff Trail Service Station	16th Ave. and 10th St. N.W.
Highway Service Station	17th Ave. and 1st St. West
Central Park Service Station	12th Ave. and 4th St. West
Broadway Service Station	8th Ave and 7th St. West
Edmonton Trail Service Station ..	16th Ave. and 3rd St. N.E.
York Service Station	Centre St. and 6th Ave.
Sunray Service Station	9th Ave. and 3rd St. East

COMPLIMENTS OF

**BLOWEY - HENRY
LIMITED**

WHOLESALE

FURNITURE AND FLOOR COVERINGS

Phone 22058

10241 - 109th Street

Edmonton, Alta.

TD

GRAND HOTEL

"TRUCKERS' HEADQUARTERS"

80 Outside Rooms
With Bath and Without

**COFFEE SHOP
FULLY LICENSED
RECENTLY RENOVATED**

Telephone ~~71100~~ 422 4196

103rd Street and 103rd Avenue

Edmonton

Alberta

ATTENTION TRUCKERS !

Progress Glass Co. Limited

**Truck and Auto Glass Properly Replaced
Plate Glass and Window Glass Installed**

MIRRORS MADE TO ORDER

Phone 22726

10627 - 101st Street

Edmonton

Knox Corner Service Station	4th St. and 6th Ave. West
Premier Service Station	12th Ave. and 2nd St. East
Rideau Service Station	4th St. and 24th Ave. West
Langevin Service Station	4th St. and 4th Ave. East
Main Service Station	9th Ave. and 8th St. West
East Calgary Service Station	9th Ave. and 11th St. East
Hilltop Service Station	Centre St. and 13th Ave.
West Point Service Station	14th St. and 16th Ave. West
Atlas Service Station	17th Ave. and 5th St. West
Prospect Service Station	14th St. and 25th Ave. West
Bowness Road Service Station ..	Bowness and Kensington Rd.
Coach Road Motors	Banff Coach Road
Consumers Tire	13th Ave. and 1st St. West
General Supplies Ltd.	5th Ave. and 1st St. West
Brasso Motors	3rd Ave. and Centre St.
Welcome Service	16th Ave and 2A St. N.W.
South Calgary Service	33rd St. and 24th Ave. S.W.
Menzies Esso Service	14th and Kensington Rad.
Chuck and Lyles Noble Service ..	13th Ave. and 1st St. West
Esco Service	401 Centre St. South
Rosebud Service	17th Ave. and 25A St. S.W.
Sharon Service Station	12th Ave. and 8th St. West
Shouldice Service Station	Montgomery
Truck Town Limited	4410 Macleod Trail
Willards Auto Service	6th Ave. and 28th St. West

Community Service Station 701 14th St. N.W.
 Fowlie Motor Sales 4448 Edmonton Trail
 Freeman Wilson Limited 5th Ave. and Centre St.
 Mac Motors and Equipment 9th Ave. and 14th St. East
 Parkdale Service 33rd St. and Kensington Rd.
 Canadian Survey Supplies 66th Ave. and Centre St. South
 Nu Way Reconditioners 813 3rd St. N.E.

Lethbridge

Spotlite Service Station
 Central Service
 Emerson Motors
 Hilltop Service
 Beny Chev Olds Limited
 Cards Esso Service
 Skyline Service & Auto Court
 Sunny Service

Fort Macleod

Charlton Motors
 Junction Service Station
 Kozy Motel
 Speedway Service Station

Milk River

Imperial Service Station
 Quinn Garage

Claresholm

Claresholm Motors
 Henson Motors
 Qually Motors
 Mag's Service

High River

High River Motor Company
 Imperial Service Company
 Sunshine Service Station
 Rainbow Service

Olds

Cipperley Motors
 Olds Auto Electric

Beaver Lodge

Jack Cox
 R. W. Jacobs

Pouce Coupe

Sunrise Service

Ponoka

McKelvey Motors
 Wilder's Motors
 Hi-way Garage
 Jimmies Service
 Ponoka Motors

Wetaskiwin

Auto Court Service
 Mosesons Service
 Wetaskiwin Rad and Body
 Shop
 Brebber Motors—East
 Brebber Motors—West
 Merner Motors
 Wetaskiwin Motors

Athabasca

Landing Motors
 Universal Garage

Smith

Joe Hugo
 L. E. Junck

Clyde

Central Garage
 Lamberts Service Station
 Nick's Service Station

Red Deer

Gray Motors
Imperial Service
Imp. Oil Service Station
John Burrows Limited
Court Store
R. Kaiser
Lindsey Equipment
Vellner Motors

Lacombe

Adamson Motors
Faulafer Motors Ltd.
Park Inn
Dalzell Service

Valleyview

J. K. Lassen
Young's Esso Service

Grande Prairie

Imperial Motors
Sargent Sales and Service
Grande Prairie Garage Ltd.
Thompson Motors
Grande Prairie Auto Court
Airport Motel

Wembley

Henry's Highway Service
Unger's Service Station

Leduc

Reynar's Garage
Leduc Sales and Service
Ellard Motors Limited
Leduc Motors Limited

Morinville

L. H. Tremblay

Slave Lake

Troutman Motors

Kinuso

Swan Valley Service
Wm. Card

Faust

M. W. Beamish

High Prairie

Magee Motors
W. M. Ferris

Hythe

Hythe Highway Service

Dawson Creek

Twin Service Station
Dawson Creek Motors
J. D. MacEachern
Cameron's Garage
Collinson's Auto Court
Regent Motors
Zero Service Station
Sunset Service

Alaska Highway

Mile 101 —Blueberry Lodge
147 —Pink Mountain
Garage
201 —Trutch Lodge
232½ —Dutch Mill
300 —Nuiskwa Cage &
Garage
—Central Service
351 —Steamboat
Mountain Service
392 —The Summit
456 —Muncho Lake
Motoring Service
463 —Muncho Lake
Lodge
533 —Coal River Lodge
543 —Ted & Tims

WORK CLOTHES FOR TRUCKERS

ARMY & NAVY

DEPARTMENT STORE, LTD.

"WE ALWAYS SELL FOR LESS"

Warehouse Store—97 St. and 103 Ave.

South Side Store—104 St. and Whyte Ave.
Edmonton Alberta

MEMORANDUM

Alberta Customs Brokers Ltd.

CUSTOM HOUSE BROKERS

Import, Export and Forwarding Agents

6 Sheldon Bldg.

Calgary

Phone 62433

Branch Offices at

P.O. Box 9

Coutts, Alta.

3 Shasta Bldg.

Edmonton

MEMORANDUM

MEMORANDUM

MEMORANDUM

MEMORANDUM

**More Canadians Wear
Work Clothes Bearing
This Label**



Than Any Other Brand

G.W.G. "Drillers Drill" Pants and Shirts

G.W.G. "Texas Ranger" Shirts

G.W.G. "Iron Man" Pants

**They wear longer because they're made
stronger.**

**THE GREAT WESTERN GARMENT
CO. LTD.**

EDMONTON

We have a complete line of

MERCURY TRUCKS

$\frac{1}{2}$ to 5 Ton Models

These Mercury Trucks are Canadian Built with
Ample Reserve of Strength and Power.

PRICED WITH THE LOWEST

Come In and Talk Over Your Trucking Needs.

Mercury, Lincoln and Meteor Dealers for
Edmonton and District.

Featuring Imperial Oil Products Exclusively.
Imperial Oil Credit Cards Honored.

WATERLOO MOTORS LIMITED

Jasper Avenue at 107th Street

Phone 42171

Edmonton, Alberta